

AMENDMENTS TO THE CLAIMS

A detailed listing of all claims that are, or were, in the present application, irrespective of whether the claim(s) remains under examination in the application are presented below. The claims are presented in ascending order and each includes one status identifier. Those claims not cancelled or withdrawn but amended by the current amendment utilize the following notations for amendment: 1. deleted matter is shown by strikethrough for six or more characters and double brackets for five or less characters; and 2. added matter is shown by underlining.

1. (Currently Amended) A mount bracket set for mounting a plurality of known flat panel displays by means of a mount, each flat panel display having a unique set of bores for mounting the flat panel display to the mount bracket set by means of bolts disposed therein, comprising:

a pair of mount brackets being operably coupleable to the mount and fixedly coupleable to the flat panel display and having a substantially planar flat plate, a ~~series~~ plurality of sets of mounting bores being defined in each mount bracket flat plate, each set of mounting bores for mounting each mount bracket independently to ~~the~~ a respective one of the plurality of known flat panel displays, the mounting bores arranged so that when the mount brackets are operably coupled to the mount, ~~a portion~~ the respective set of ~~the~~ mounting bores are in registry with the respective flat panel display unique set of bores for mounting ~~each~~ the respective flat panel display of the plurality of known flat panel displays to the mount bracket.

2. (Original) The mount bracket set of claim 1, each mount bracket being a mirror image of the other mount bracket.

3. (Original) The mount bracket set of claim 1, each mount bracket having a lip formed along a longitudinal side margin.
4. (Original) The mount bracket set of claim 3, each mount bracket having a lip formed along a second spaced apart longitudinal side margin.
5. (Original) The mount bracket set of claim 1, each mount bracket having a square end and an opposed end, the opposed end having a transverse margin and two spaced apart tails.
6. (Original) The mount bracket set of claim 1, each mount bracket having a square end and an opposed end, the opposed end having a transverse margin and a tapered margin adjacent the transverse margin.
7. (Original) The mount bracket set of claim 1, each mount bracket having a notch defined in a longitudinal margin.
8. (Currently Amended) A mount for mounting a plurality of known flat panel displays , each flat panel display having a unique set of bores for mounting the flat panel display to the mount bracket set by means of bolts disposed therein, comprising:

mount structure for being operably coupled to a facility structure, the  
mount structure being shiftably coupled to a pair of mount brackets; and

the pair of mount brackets being fixedly couplable to the flat panel display and having a substantially planar flat plate, a ~~series~~a plurality of sets of mounting bores being defined in each mount bracket flat plate, a respective set of mounting bores for mounting each mount bracket independently to ~~the~~a respective one of the plurality of known flat panel displays, the mounting bores arranged so that when the mount brackets are operably coupled to the mount, ~~a portion~~the respective set of ~~the~~ mounting bores are in registry with the respective flat panel display unique set of bores for mounting ~~each~~the respective flat panel display of the plurality of known flat panel displays to the mount bracket.

9. (Original) The mount of claim 8, each mount bracket being a mirror image of the other mount bracket.

10. (Original) The mount of claim 8, each mount bracket having a lip formed along a longitudinal side margin.

11. (Original) The mount of claim 10, each mount bracket having a lip formed along a second spaced apart longitudinal side margin.

12. (Original) The mount of claim 8, each mount bracket having a square end and an opposed end, the opposed end having a transverse margin and two spaced apart tails.

13. (Original) The mount of claim 8, each mount bracket having a square end and an opposed end, the opposed end having a transverse margin and a tapered margin adjacent the transverse margin.

14. (Original) The mount of claim 8, each mount bracket having a notch defined in a longitudinal margin.

15. (Currently Amended) A method of mounting a plurality of known flat panel displays comprising:

~~—~~ ~~defining a unique set of bores in,~~ each flat panel display having a unique set of bores for mounting the flat panel display to a mount bracket set by means of bolts disposed therein~~[[;]],~~ comprising:

shiftablely coupling a mount structure to a pair of mount brackets;

defining a ~~series~~plurality of sets of mounting bores in each mount bracket, each set of mounting bores for mounting each mount bracket independently to ~~the~~ a respective one of the plurality of known flat panel displays, the mounting bores arranged so that when the mount brackets are operably coupled to the mount, ~~a portion~~the respective set of ~~the~~ mounting bores are in registry with the respective flat panel display unique set of bores for mounting ~~each~~the respective flat panel display of the plurality of known flat panel displays to the mount bracket; and

fixedly coupling the pair of mount brackets to the respective flat panel display ~~and having a substantially planar flat plate.~~

16. (Original) The method of claim 15, including forming each mount bracket as a mirror image of the other mount bracket.
17. (Original) The method of claim 15, including forming a lip formed along a longitudinal side margin of each mount bracket.
18. (Original) The method of claim 17, including forming a lip formed along a second spaced apart longitudinal side margin of each mount bracket.
19. (Original) The method of claim 15, including forming each mount bracket with a square end and an opposed end, the opposed end having a transverse margin and two spaced apart tails.
20. (Original) The method of claim 15, including forming each mount bracket with a square end and an opposed end, the opposed end having a transverse margin and a tapered margin adjacent the transverse margin.
21. (Original) The method of claim 15, including forming a notch defined in a longitudinal margin of each mount bracket.